

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

L Number	Hits	Search Text	DB	Time stamp
1	2	5,432,526.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 11:59
2	1	5,432,526.pn. and photosensor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 11:59
-	1985	345/87.ccls.	USPAT; EPO; JPO	2004/08/01 15:46
-	282	345/87.ccls. and image adj display	USPAT; EPO; JPO	2003/09/07 15:29
-	3	345/87.ccls. and image adj display and motionless	USPAT; EPO; JPO	2003/09/07 15:31
-	3	345/87.ccls. and image adj display and motionless and light and system	USPAT; EPO; JPO	2003/09/07 15:34
-	3	345/87.ccls. and image adj display and motionless and light and control	USPAT; EPO; JPO	2003/09/07 15:35
-	3	345/87.ccls. and image adj display and motionless and light and control and system	USPAT; EPO; JPO	2003/09/08 10:57
-	1506148	light	USPAT; EPO; JPO	2003/09/07 15:56
-	65	light and auto-adjust\$4	USPAT; EPO; JPO	2003/09/09 07:55
-	60	light and auto-adjust\$4 and system	USPAT; EPO; JPO	2003/09/07 15:56
-	15	light and auto-adjust\$4 and system and image and motion\$4 and display	USPAT; EPO; JPO	2003/09/07 15:58
-	14	light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4	USPAT; EPO; JPO	2003/09/07 15:58
-	14	light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4	USPAT; EPO; JPO	2003/09/07 15:58
-	14	light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4	USPAT; EPO; JPO	2003/09/07 15:59
-	14	light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4 and value	USPAT; EPO; JPO	2003/09/07 15:59
-	7	light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4 and value and photosens\$5	USPAT; EPO; JPO	2003/09/07 16:00
-	7	light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4 and value and photosens\$5 and varia\$4	USPAT; EPO; JPO	2003/09/07 16:00
-	7	light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4 and value and photosens\$5 and varia\$4 and background	USPAT; EPO; JPO	2003/09/07 16:00
-	7	light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4 and value and photosens\$5 and varia\$4 and background and control\$4	USPAT; EPO; JPO	2003/09/07 16:01
-	7	light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4 and value and photosens\$5 and varia\$4 and background and control\$4 and receive\$4	USPAT; EPO; JPO	2003/09/07 16:01

-	7	light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4 and value and photosens\$5 and varia\$4 and background and control\$4 and receive\$4 and signal\$1	USPAT; EPO; JPO	2003/09/07 16:01
-	7	light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4 and value and photosens\$5 and varia\$4 and background and control\$4 and receive\$4 and signal\$1 and feedback	USPAT; EPO; JPO	2003/09/07 16:02
-	7	light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4 and value and photosens\$5 and varia\$4 and background and control\$4 and receive\$4 and signal\$1 and feedback and order	USPAT; EPO; JPO	2003/09/07 16:02
-	7	light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4 and value and photosens\$5 and varia\$4 and background and control\$4 and receive\$4 and signal\$1 and feedback and order and start\$4	USPAT; EPO; JPO	2003/09/07 16:03
-	7	light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4 and value and photosens\$5 and varia\$4 and background and control\$4 and receive\$4 and signal\$1 and feedback and order and start\$4 and voltage\$1	USPAT; EPO; JPO	2003/09/07 16:03
-	7	light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4 and value and photosens\$5 and varia\$4 and background and control\$4 and receive\$4 and signal\$1 and feedback and order and start\$4 and voltage\$1 and output	USPAT; EPO; JPO	2003/09/07 16:03
-	7	light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4 and value and photosens\$5 and varia\$4 and background and control\$4 and receive\$4 and signal\$1 and feedback and order and start\$4 and voltage\$1 and output and contrast	USPAT; EPO; JPO	2003/09/07 16:04
-	7	light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4 and value and photosens\$5 and varia\$4 and background and control\$4 and receive\$4 and signal\$1 and feedback and order and start\$4 and voltage\$1 and output and contrast and bright\$4	USPAT; EPO; JPO	2003/09/07 16:04
-	7	light and auto-adjust\$4 and system and image and motion\$4 and display and input\$4 and transmit\$4 and set\$4 and value and photosens\$5 and varia\$4 and background and control\$4 and receive\$4 and signal\$1 and feedback and order and start\$4 and voltage\$1 and output and contrast and bright\$4	USPAT; EPO; JPO	2003/09/07 16:04
-	26	light and auto-adjust\$4 and system and image	USPAT; EPO; JPO	2003/09/08 09:38
-	15	light and auto-adjust\$4 and system and image and environment	USPAT; EPO; JPO	2003/09/08 11:12
-	15	light and auto-adjust\$4 and system and image and environment and back and lighting	USPAT; EPO; JPO	2003/09/08 12:37

-	3	345/87.ccls. and image adj display and motionless and back and light and control and system	USPAT; EPO; JPO	2003/09/09 11:17
-	1	345/87.ccls. and image adj display and motionless and back and light and control and system and environment	USPAT; EPO; JPO	2003/09/08 09:41
-	175	image adj display and back adj light\$4 and control and system and environment	USPAT; EPO; JPO	2003/09/08 09:51
-	96	image adj display and back adj light\$4 and control and system and environment and LCD	USPAT; EPO; JPO	2003/09/08 09:52
-	41	image adj display and back adj light\$4 and control and system and environment and LCD and Motion\$4	USPAT; EPO; JPO	2003/09/08 09:53
-	41	image adj display and back adj light\$4 and control and system and environment and LCD and Motion\$4	USPAT; EPO; JPO	2003/09/08 09:53
-	20	image adj display and back adj light\$4 and control and system and environment and LCD and Motion\$4 and transduc\$4	USPAT; EPO; JPO	2003/09/08 10:17
-	18	image adj display and back adj light\$4 and control and system and environment and LCD and Motion\$4 and transduc\$4 and inverter	USPAT; EPO; JPO	2003/09/09 08:55
-	3	electrophoretic and image adj display and back adj light\$4 and control and system and environment and LCD and Motion\$4 and transduc\$4 and inverter	USPAT; EPO; JPO	2003/09/08 10:58
-	14	light and auto-adjust\$4 and back adj light\$4 and control and system and environment and LCD and Motion\$4 and transduc\$4 and inverter	USPAT; EPO; JPO	2003/09/08 11:13
-	14	light and auto-adjust\$4 and back adj light\$4 and control and system and environment and LCD and Motion\$4 and transduc\$4 and inverter and image adj display	USPAT; EPO; JPO	2003/09/08 11:13
-	14	light and auto-adjust\$4 and back adj light\$4 and control and system and environment and LCD and Motion\$4 and transduc\$4 and inverter and image adj display	USPAT; EPO; JPO	2003/09/08 11:15
-	14	liquid adj crystal adj display and auto-adjust\$4 and back adj light\$4 and control and system and environment and Motion\$4 and transduc\$4 and inverter and image adj display	USPAT; EPO; JPO	2003/09/08 11:16
-	14	liquid adj crystal adj display and auto-adjust\$4 and back adj light\$4 and control and system and environment and Motion\$4 and inverter and image adj display	USPAT; EPO; JPO	2003/09/08 11:17
-	14	liquid adj crystal adj display and auto-adjust\$4 and back adj light\$4 and environment and Motion\$4 and inverter and image adj display	USPAT; EPO; JPO	2003/09/08 11:17
-	14	liquid adj crystal adj display and auto-adjust\$4 and back adj light\$4 and Motion\$4 and inverter and image adj display	USPAT; EPO; JPO	2003/09/08 11:17
-	14	liquid adj crystal adj display and auto-adjust\$4 and back adj light\$4 and Motion\$4 and inverter	USPAT; EPO; JPO	2003/09/08 11:18
-	106963	liquid adj crystal adj display	USPAT; EPO; JPO	2003/09/08 11:18
-	5505	liquid adj crystal adj display and back adj light\$4	USPAT; EPO; JPO	2003/09/08 11:18
-	2663	liquid adj crystal adj display and back adj light\$4 and control	USPAT; EPO; JPO	2003/09/08 11:18
-	140	liquid adj crystal adj display and back adj light\$4 and control and transduc\$5	USPAT; EPO; JPO	2003/09/08 11:19

-	59	liquid adj crystal adj display and back adj light\$4 and control and transduc\$5 and inverter	USPAT; EPO; JPO	2003/09/08 11:19
-	3	liquid adj crystal adj display and back adj light\$4 and control and transduc\$5 and inverter and feed adj back	USPAT; EPO; JPO	2003/09/09 07:52
-	2	liquid adj crystal adj display and back adj light\$4 and control and inverter and feed adj back and external and light\$4	USPAT; EPO; JPO	2003/09/08 11:25
-	15	liquid adj crystal adj display and back adj light\$4 and auto-adjust\$4	USPAT; EPO; JPO	2003/09/08 11:28
-	3	345/87.ccls. and image adj display and motionless and light and control and system	USPAT; EPO; JPO	2003/09/08 11:31
-	1	345/8.ccls. and two adj display and head adj mounted adj display and separate and left adj eye and right adj eye and connect and detect and transducer	USPAT; EPO; JPO	2003/09/08 12:17
-	2	345/8.ccls. and two adj display and head adj mounted adj display and separate and left adj eye and right adj eye and connect and detect	USPAT; EPO; JPO	2003/09/08 12:13
-	1	345/8.ccls. and two adj display and head adj mounted adj display and separate and left adj eye and right adj eye and connect and detect and transducer and feedback	USPAT; EPO; JPO	2003/09/08 12:18
-	1	345/8.ccls. and two adj display and head adj mounted adj display and separate and left adj eye and right adj eye and connect and detect and transducer and feedback and inver\$4	USPAT; EPO; JPO	2003/09/08 12:18
-	14	light and auto-adjust\$4 and system and image adj display and environment and back and lighting	USPAT; EPO; JPO	2003/09/08 12:37
-	15	light and auto-adjust\$4 and system and image and motion\$4	USPAT; EPO; JPO	2003/09/08 13:00
-	2	auto\$5 adj adjust\$3 adj light\$3 and system	USPAT; EPO; JPO	2003/09/08 13:50
-	2	auto\$5 adj adjust\$3 adj light\$3 and system	USPAT; EPO; JPO	2003/09/08 13:52
-	109	345/87.ccls. and back adj light\$3	USPAT; EPO; JPO	2003/09/09 07:53
-	386	photo adj album	USPAT; EPO; JPO	2003/09/09 07:53
-	193	photo adj album and display	USPAT; EPO; JPO	2003/09/09 07:54
-	19	photo adj album and display and illuminate\$3	USPAT; EPO; JPO	2003/09/09 07:56
-	12	photo adj album and display and illuminate\$3 and auto\$5 and adjust\$5	USPAT; EPO; JPO	2003/09/09 07:58
-	1	photo adj album and display and illuminate\$3 and auto\$5 and adjust\$5 and control and environment	USPAT; EPO; JPO	2003/09/09 07:59
-	12	photo adj album and display and illuminate\$3 and auto\$5 and adjust\$5 and control	USPAT; EPO; JPO	2003/09/09 08:08
-	4	photo adj album adj display	USPAT; EPO; JPO	2003/09/09 08:04
-	1	photo adj album and display and illuminate\$3 and auto\$5 and adjust\$5 and control and photosensor	USPAT; EPO; JPO	2003/09/09 09:38
-	3	photo adj album and display and photosensor	USPAT; EPO; JPO	2003/09/09 08:13
-	5126	photosensor and resist\$4	USPAT; EPO; JPO	2003/09/09 08:14
-	1787	photosensor and resist\$4 and display	USPAT; EPO; JPO	2003/09/09 08:15
-	2	photosensor and resist\$4 and display and photo and album	USPAT; EPO; JPO	2003/09/09 08:16

-	4	photosensor adj resist\$4 and display	USPAT; EPO; JPO	2003/09/09 08:16
-	1	photo adj album and display and illuminate\$3 and auto\$5 and adjust\$5 and control and photosensor	USPAT; EPO; JPO	2003/09/09 08:45
-	8	image adj display and back adj light\$4 and control and system and environment and LCD and Motion\$4 and transduc\$4 and inverter and photosensor	USPAT; EPO; JPO	2003/09/09 08:56
-	8	image adj display and back adj light\$4 and control and system and environment and LCD and Motion\$4 and transduc\$4 and inverter and photosensor and resist\$5	USPAT; EPO; JPO	2003/09/09 09:06
-	8	image adj display and back adj light\$4 and control and system and environment and LCD and Motion\$4 and transduc\$4 and inverter and photosensor\$1 and resist\$5	USPAT; EPO; JPO	2003/09/09 09:07
-	22	photo adj album and illuminate\$3	USPAT; EPO; JPO	2003/09/09 09:45
-	12	photo adj album and illuminate\$3 and auto\$5 and adjust\$5 and control	USPAT; EPO; JPO	2003/09/09 09:41
-	1	image adj display and motionless and back and light and control and system and inverter	USPAT; EPO; JPO	2004/03/26 15:29
-	1	image adj display and photosens\$6 and sub-circuit	USPAT; EPO; JPO	2004/03/26 15:30
-	1346	image adj display and photosens\$6 and circuit	USPAT; EPO; JPO	2004/03/26 15:30
-	610	image adj display and photosens\$6 and circuit and couple\$6	USPAT; EPO; JPO	2004/03/26 15:31
-	15	image adj display and photosens\$6 and circuit and couple\$6 and input adj circuit	USPAT; EPO; JPO	2004/03/26 15:31
-	5	image adj display and photosens\$6 and circuit and couple\$6 and input adj circuit and output adj circuit	USPAT; EPO; JPO	2004/04/02 11:10
-	1	display and photosens\$6 adj circuit\$1 and couple\$6 and input adj circuit and output adj circuit	USPAT; EPO; JPO	2004/04/02 11:31
-	1	display and photosens\$6 adj circuit\$1 and couple\$6 and input adj circuit and output adj circuit and transmit\$9	USPAT; EPO; JPO	2004/04/02 11:31
-	1	display and photosens\$6 adj circuit\$1 and couple\$6 and input adj circuit and output adj circuit and transmit\$9 and receiv\$9	USPAT; EPO; JPO	2004/04/02 11:44
-	1	display and photosens\$6 adj circuit\$1 and couple\$6 and input adj circuit and output adj circuit and transmit\$9 and receiv\$9 and feedback\$9	USPAT; EPO; JPO	2004/04/02 11:44
-	1	display and predetermined adj(contrast and brightness)and store\$6	USPAT; EPO; JPO	2004/08/01 15:47
-	0	display and predetermined adj(contrast and brightness)and store\$6 and ambient	USPAT; EPO; JPO	2004/08/01 15:47
-	965	display and predetermined and (contrast and brightness)and store\$6 and ambient	USPAT; EPO; JPO	2004/08/01 15:47
-	965	display and (predetermined and contrast and brightness) and store\$6 and ambient	USPAT; EPO; JPO	2004/08/01 15:47
-	540	display and (predetermined and contrast and brightness) and store\$6 and ambient adj light	USPAT; EPO; JPO	2004/08/01 15:48
-	121	display and (predetermined and contrast and brightness) and store\$6 and ambient adj light and compare	USPAT; EPO; JPO	2004/08/01 15:48
-	427	display and (predetermined and contrast and brightness) and store\$6 and ambient adj light and compare\$9	USPAT; EPO; JPO	2004/08/01 15:48
-	6	display and (predetermined and contrast and brightness) and store\$6 and (photo adj sensor) and ambient adj light and compare\$9 and feedback and variable\$9	USPAT; EPO; JPO	2004/08/01 15:49

-	5	display and (predetermined and contrast and brightness) and store\$6 and (photo adj sensor) and ambient adj light and compare\$9 and feedback and variable\$9 and start\$6	USPAT; EPO; JPO	2004/08/01 15:50
-	5	display and (predetermined and contrast and brightness) and store\$6 and (photo adj sensor) and ambient adj light and compare\$9 and feedback and variable\$9 and start\$6 and control\$9	USPAT; EPO; JPO	2004/08/01 15:50
-	0	display and (predetermined and contrast and brightness) and store\$6 and (photo adj sensor) and ambient adj light and compare\$9 and feedback and variable\$9 and start\$6 and control\$9 and siganl	USPAT; EPO; JPO	2004/08/01 15:50
-	5	display and (predetermined and contrast and brightness) and store\$6 and (photo adj sensor) and ambient adj light and compare\$9 and feedback and variable\$9 and start\$6 and control\$9 and signal and voltage	USPAT; EPO; JPO	2004/08/01 15:51
-	5	display and (predetermined and contrast and brightness) and store\$6 and (photo adj sensor) and ambient adj light and compare\$9 and feedback and variable\$9 and start\$6 and control\$9 and signal and voltage and display\$9	USPAT; EPO; JPO	2004/08/01 15:51
-	5	display and (predetermined and contrast and brightness) and store\$6 and (photo adj sensor) and ambient adj light and compare\$9 and feedback and variable\$9 and start\$6 and control\$9 and signal and voltage and display\$9 and receive	USPAT; EPO; JPO	2004/08/01 15:51
-	5	display and (predetermined and contrast and brightness) and store\$6 and (photo adj sensor) and ambient adj light and compare\$9 and feedback and variable\$9 and start\$6 and control\$9 and signal and voltage and display\$9 and receive and (adjust and contrast and brightness)	USPAT; EPO; JPO	2004/08/01 15:52
-	5	display and (predetermined and contrast and brightness) and store\$6 and (photo adj sensor) and ambient adj light and compare\$9 and feedback and variable\$9 and start\$6 and control\$9 and signal and voltage and (display\$9 and receive and start\$6 and voltage\$1) and (adjust and contrast and brightness)	USPAT; EPO; JPO	2004/08/01 15:53
-	2	5432526.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/01 16:16
-	1	5432526.pn. and ambient adj light	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/01 16:16
-	7	display and (predetermined and contrast and brightness) and store\$6 and (photo adj sensor) and ambient adj light and compare\$9 and feedback	USPAT; EPO; JPO	2004/08/01 16:19
-	24	display and (predetermined and contrast and brightness) and store\$6 and (photo adj sensor) and ambient adj light and compare\$9	USPAT; EPO; JPO	2004/08/01 16:31
-	22	display and (predetermined and contrast and brightness) and store\$6 and (photo adj sensor) and ambient adj light and compare\$9 and display\$9 and image\$1	USPAT; EPO; JPO	2004/08/01 16:32

-	35	display and (predetermined and contrast and brightness) and store\$6 and (photo adj (sensor or detector)) and ambient adj light and compare\$9 and display\$9 and image\$1	USPAT; EPO; JPO	2004/08/01 16:33
-	34	display and (predetermined and contrast and brightness and value) and store\$6 and (photo adj (sensor or detector)) and ambient adj light and compare\$9 and display\$9 and image\$1	USPAT; EPO; JPO	2004/08/01 16:33
-	0	display and (predetermined and contrast and brightness and value) and store\$6 and (photo adj (sensor or detector)) and detect\$6 and ambient adj light and compare\$9 and correct\$9 and voltage and display\$9 and image\$1	USPAT; EPO; JPO	2004/08/01 16:34
-	20	display and (predetermined and contrast and brightness and value) and store\$6 and (photo adj (sensor or detector)) and detect\$6 and ambient adj light and compare\$9 and correct\$9 and voltage and display\$9 and image\$1	USPAT; EPO; JPO	2004/08/01 16:38
-	0	display and (predetermined and contrast and brightness and value) and store\$6 and (photo adj (sensor or detector)) and detect\$6 and ambient adj light and compare\$9 and correct\$9 and voltage and display\$9 and image\$1 and backlight\$9	USPAT; EPO; JPO	2004/08/01 16:39
-	8805	display and backlight\$9	USPAT; EPO; JPO	2004/08/01 16:39
-	659	display and backlight\$9 and (predetermined and contrast and brightness and value)	USPAT; EPO; JPO	2004/08/01 16:40
-	2	display and backlight\$9 and (predetermined and contrast and brightness and value) and store\$6 and (photo adj (sensor or detector)) and detect\$6 and ambient adj light	USPAT; EPO; JPO	2004/08/01 16:40
-	0	display and backlight\$9 and (predetermined and contrast and brightness and value) and store\$6 and (photo adj (sensor or detector)) and detect\$6 and ambient adj light and compare\$9 and correct\$9 and voltage and display\$9 and image\$1	USPAT; EPO; JPO	2004/08/01 16:40
-	1	display and backlight\$9 and (predetermined and contrast and brightness and value) and store\$6 and (photo adj (sensor or detector)) and detect\$6 and ambient adj light and compare\$9	USPAT; EPO; JPO	2004/08/01 16:41
-	0	display and backlight\$9 and (predetermined and contrast and brightness and value) and store\$6 and (photo adj (sensor or detector)) and detect\$6 and ambient adj light and compare\$9 and correct\$9	USPAT; EPO; JPO	2004/08/01 16:41
-	1	display and backlight\$9 and (predetermined and contrast and brightness and value) and store\$6 and (photo adj (sensor or detector)) and detect\$6 and ambient adj light and compare\$9 and voltage and display\$9 and image\$1	USPAT; EPO; JPO	2004/08/01 16:41
-	5	display and backlight\$9 and (predetermined and contrast and brightness and value) and store\$6 and (photo adj (sensor or detector)) and compare\$9	USPAT; EPO; JPO	2004/08/01 16:44

-	5	display and backlight\$9 and (predetermined and contrast and brightness and value) and store\$6 and (photo adj (sensor or detector)) and compare\$9 and feedback	USPAT; EPO; JPO	2004/08/01 16:44
-	7	display and backlight\$9 and (predetermined and contrast and brightness and value) and store\$6 and (photo adj (sensor or detector))	USPAT; EPO; JPO	2004/08/01 16:45
-	83	display and backlight\$9 and (photo adj (sensor or detector))	USPAT; EPO; JPO	2004/08/01 16:45
-	51	display and backlight\$9 and (photo adj (sensor or detector)) and compare\$9	USPAT; EPO; JPO	2004/08/01 16:46
-	24	display and backlight\$9 and (photo adj (sensor or detector)) and compare\$9 and feedback	USPAT; EPO; JPO	2004/08/01 16:48
-	22	display and backlight\$9 and (photo adj (sensor or detector)) and compare\$9 and feedback and voltage	USPAT; EPO; JPO	2004/08/01 16:48